

MANUFACTURE STANDARD,MANUFACTURE RELIANCE

RT-9200

Semi-auto Chemistry Analyzer

New

IDEAL CHOICE FOR

LOW CONSUMPTION COST

RELIABLE PERFORMANCE

USER FRIENDLY



Features

- Easy keypad operation with LCD display.
- Wavelengths range is 330-800nm, 7 standard filters, 1 more filter optional.
- Reagent open system supports flow cell and cuvette mode, close system on request.
- Analytical modes include kinetic, fixed time, bichromatic end point with or without reagent blank or sample blank, linear or non-linear calibration curves.
- Up to 60 programs and 2200 test results can be stored.
- Excellent QC function, 2 controls per test.
- Internal thermal-sensitive printer.
- Compact design enables USER-DIY maintenance.
- Multi-language software available on request.

RT-9200

Semi-auto Chemistry Analyzer

Test Report			
Item Name: ALT		Sample No:1	
From:2009-12-15		To:2009-12-30	
Date:2009-12-31			
No	Item	Result	Remark
1	ALT	132.098	H
2	ALT	103.213	-
3	ALT	50.098	L



Flow Cell



Cuvette (optional)



Keypad



Internal printer



RT-A19 Incubator (optional)

Technical Specifications

Absorbance Range	-0.500 - 3.000Abs
Resolution	0.001Abs (displayed),0.0001Abs (calculated)
Light Source	Halogen lamp
Wavelengths	340,405,450,500,546,578,620nm,1 more filter optional
Wavelength Accuracy	± 1nm
Band Width	< 8nm
Cross Contamination Rate	< 1%
Interface	RS-232 serial cable
Flow Cell	Metal - quartz flow cell
Temperature Control	25°, 30°, 37°, ±0.1° and ambient temperature
Display	LCD display
Output	Internal printer or external printer(optional)
Power Supply	AC 110V/220V ± 10%,50/60Hz
Net Weight	7KG
Dimensions L × W × H (mm)	360 × 318 × 160